



Rialtas na hÉireann Government of Ireland

# Community Grants Scheme – State Aids





### January 2023

General Block Exemption Regulation, Article 36, 38,38a and 41, Regulation (EU) No 651/2014 of 17 June 2014 declaring certain categories of aid compatible with the internal market in application of Articles 107 and 108 of the Treaty (OJ L 187, 26.6.2014, p. 1–78)

All contracts issued in 2024 must comply with these new requirements (contracts issued before 2024 are not impacted, contracts approved in 2023 but issued in 2024 are subject to the old rules)



# Community Grants Scheme

### Community projects

Building Fabric

EVs

Counterfactual



### Community Grants Not for profit



### No Change to 50% Funding- no economic activity onsite

They are exempt from State Aids

If there is an economic activity onsite, 30% max grant funding, counterfactual applies and BER uplift.



### Building Fabric





### **Building Fabric**

- Solar grant aided at 20%
- Single fabric measures, must support a 10% uplift of the BER (Solar not included) and will be grant-aided at 25%
- Multiple fabric measures, must support a 20% uplift of the BER (Solar not included) and will be granted-aided at 30%
- There will be a pre-BER and post-BER requirement to demonstrate the uplift
- If a project has a heat pump installation which contributes to the heating of the building the project does not require a BER.



### EV's





### EV chargers

EV chargers will be grant-aided at 20%

There are no credits for EV Chargers

These need to be removed at application



### Counterfactual





### Renewables




Counterfactual does not apply if adding renewables as a single measure – 30% grant awarded



#### Counterfactual


Counterfactual applies to all non-fabric works or where a measure proposed does not affect the BER rating of the building.

- Speed drives
- Water pumps
- Refrigeration
- Ventilation (possible)
- Cooling (possible)
- Drying equipment
- AHU





#### **Decision Tree**





### Counterfactual Information Required

Counterfactual information is required, below are the three options


- we require the maintenance invoice or contract for the upkeep of the existing equipment
- The price of the basic model versus the model you are installing, the difference between the prices is what would be grant-funded
- If no counterfactual information can be obtained the grant funding rate will be at 15%



### **NPV Calculator**

ND							
		Rate 5%	5%				
	Year 0	0	70000	70,000.0	00	Application value	
	Year 1	1	1000	- 952.3	38		
	Year 2	2	1000	- 907.0	03		
	Year 3	3	1000	- 863.8	84		
	Year 4	4	1000	- 822.7	70		
	Year 5	5	1000	- 783.5	53		
	Year 6	6	1000	- 746.2	22		
	Year 7	7	1000	- 710.6	68		
	Year 8	8	1000	- 676.8	84		
	Year 9	9	1000	- 644.0	61		
	Year 10	10	1000	- 613.9	91		
	Year 11	11	1000	- 584.6	68		
	Year 12	12	1000	- 556.8	84		
	Year 13	13	1000	- 530.3	32		
	Year 14	14	1000	- 505.0	07		
	Year 15	15	1000	- 481.0	02		
				59,620.	34 Post Co	ounterfactual Co	rrectio





Join at slido.com #3696368



# Does Counterfactual apply to refrigeration?



# Does Counterfactual apply to AHU in a Swimming Pool?



# Counterfactual applies to air curtains and refrigeration doors?



### Does counterfactual apply to external wall insulation on an office building?



Does Counterfactual apply to pitch lighting for a soccer pitch with economic activities on site?



# Heating controls are subject to BER Uplift requirements?



If not providing counterfactual information how much is the grant rate



If you have only one counterfactual measure on your application and you have provided the counterfactual information, what is the grant rate?

i) Start presenting to display the poll results on this slide.



Do we need to supply a BER if there is a heat pump being installed to heat the building?



# EV Credits are no longer added to the workbook at application stage

### Thank you for listening



